

RETAIL PRODUCTS

SM-300 Series Service Scale Printer


DIGI SM-300 series promotes your business using a new concept for merchandising and networking

- State of the art communications:
 - RS232
 - Ethernet built in!
 - Optional wireless!
- POP image printed on the label with BMP files
- Canadian nutritional facts, and ingredients

Valeur nutritive		Nutrition	
Teneur	Amount	Valeur nutritive	
		Nutrition Facts	
Teneur	Amount	% valeur quotidienne	% Daily Value
Calories / Calo			
Lipides / Fat			%
Cholestérol / C			%
Sodium / Sodi			%
Glucides / Car			%
Fibres / Fibre			%
Sucres / Suga			%
Protéines / Pro			%
Vitamine A / Vita			%
Vitamine C / Vita			%
Calcium / Calcu			%
Fer / Iron			%



- Full security features complete with tracking of all price and tare changes



GAMMA SCALE™
Weighing Instruments
Sales & Service

Tel: (905)455-8333
 Fax: (905)455-0658
 E-mail: info@gammascale.com
 Website: www.gammascale.com





SM-300 Series Service Scale Printer

RETAIL PRODUCTS

Main Features

model	SM-300P (Pole Type) SM-300B (Bench Type)
Dimensions (in mm)	477 (L) x 378 (W) x 548 (H) (Pole Type) 410 (L) x 378 (W) x 140 (H) (Bench Type)
Capacity	6 Kg (1 - 2 g increment) 15 Kg (2 - 5 g increment)
Memory capacity	1 MB (standard) 2 MB (maximum)
Number of preset keys	56 (pole type) / 32 (bench type)
Display Resolution	1 / 3,000 (dual range)
Display	LCD with backlight
	Tare Weight: 4 Digits Weight: 5 Digits Unit Price: 6 Digits Total Price: 7 Digits
Printing	Thermal Printer (Easy to change thermal head) Paper Width: Maximum 60 mm (label) 40 or 60 mm (receipt) Speed: 80 mm / second (label) 100 mm / second (receipt) Label Size: Maximum 60 (W) x 240 (L) mm
Power Source	AC 100 / 110 / 220 / 230 / 240 / Volts (50 / 60 Hz)
Operating Temperature	-10 C to +40 C
Humidity	15 % to 85 % RH
Net Weight	13 Kg (Pole Type) 11.3 Kg (Bench Type)
Interface	Standard: RS-232C for FL-1 or PC Optional: Wireless RF IEEE 802.11b/g, fish platter, Chinese character generator, RS485



GAMMA SCALE™
Weighing Instruments
Sales & Service

Tel: (905)455-8333
Fax: (905)455-0658
E-mail: info@gammascale.com
Website: www.gammascale.com